

PLASTIC CART ASSEMBLY INSTRUCTIONS

LE, LP, HE, UC, TC • 2-Shelf Models

Table of Contents

Cart Assembly

Page 2 2-Shelf Plastic Cart Assembly Instructions


Optional Accessories


- Page 3 Cabinet Installation Instructions
- Page 4 Pullout Keyboard Tray Installation Instructions
- Page 5 Power Strip Installation Instructions

NOTE: This guide includes instructions that may not be applicable to your specific model. Each cart will ship with assembly instructions for the cart and included accessories only. Instructions for accessories will be packaged with each accessory's respective components.

www.luxorworkspaces.com | 800-323-4656

PARTS KEY:







Locking Casters D x 2



Non-Locking Casters



Square Legs (WT, SEC, and EC models)

OR

E x 4



Round Legs (LE, LP, STC, TC, and BC models)

REQUIRED TOOLS:


Rubber Mallet (Not included)

IMPORTANT:

If your cart includes options such as a power strip, pullout shelf, locking drawer, or locking cabinet, installation instructions for those components will be included in their packaging.

*NOTE:

Some EC, STC, and TC models come with a mix of flat and tub shelves.





Parts List

 $\mathbf{G} \times \mathbf{\hat{}}$

J ×2

04/2024

Tools Required

- Rubber Mallet


 $H \times 1$

Key X2

A

Cabinet Pack Instructions

Please consult your cart base unit instructions before starting



Page 3



Pullout Keyboard Shelf Instructions


for Plastic Carts

FR x1

Tools Required

- Phillips Screwdriver






H x1

Parts List

FL x1




Take the top shelf of your plastic cart and lay it flat. Collect parts: **FL**, **FR** & **A**. Align **FR** & **FL** to the outer holes at the top of the shelf. Take screw **A** and fasten with a screwdriver, do not tighten fully until keyboard is attached.

Collect parts: **H**. Align the pullout shelf **H** runner so that the runner snaps into place into the **FL** & **FR** brackets. Pull the shelf out to make sure it is fully seated. Tighten screws **A**. Pullout keyboard shelf assembly is now complete. Page 4

04/2024





L bracket **G** and cable lock **J**. Loop outlet cable **F** through cable lock **J** and the inserts on shelf **A**. Screw L bracket **G** and cable lock **J** onto top shelf **A** with screw **H** and a philips screwdriver.